

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	shea-r-l.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 20:52
L4	10	shea-l-r.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 20:52
L10	46	flexure cover base assay device force	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 21:05
L11	1	flexure cover base assay device force "clamping member"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 21:05
L12	1	flexure cover assay device force "clamping member"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 21:05
L13	1	flexure assay device force "clamping member"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 21:05
L14	1	flexure assay force "clamping member"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 21:05
L15	1	flexure assay "clamping member"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 21:05
L16	6	flexible assay "clamping member"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 21:07
L17	0	("2005/0230767").URPN.	USPAT	OR	OFF	2006/03/09 21:07

EAST Search History

L18	289	flexible test device "clamping member"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 21:07
L19	8	flexible test device "clamping member" "422"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 21:08
L20	13	flexible layer\$2 "clamping member" "422"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 21:10
L21	7	force flexible layer\$2 "clamping member" "422"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 21:10
L22	162	("5376252").URPN.	USPAT	OR	OFF	2006/03/09 21:17
L23	10	("3449938" "3503712" "3538744" "4900663" "4935040" "5116495" "5165292").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 21:21
L24	8	"compression force" substrate\$2 array clamp\$4 "422"/\$.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2006/03/09 21:22
L25	33	"compression device" flexible assay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 21:44
S1	1	10/729606.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 20:59
S2	2	"6258593".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 11:00
S3	0	"10177192".app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 16:47

EAST Search History

S4	2	"6399394".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 16:49
S5	13	thompson-a-c.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 16:50
S6	8	tsai-g-p.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 16:51
S7	77	parker-r-a.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 16:54
S8	1	array closeable chamber 422/56. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 16:54
S9	1	array closeable container 422/56. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 16:55
S10	0	array cover clamp knob container 422/56.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 16:56
S11	0	array cover clamp knob container 422/61.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 16:56
S12	191	array cover clamp knob container	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 16:58
S13	191	array cover clamp knob container	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:20

EAST Search History

S14	1	10/177192.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 21:44
S15	882	array (cover or container) flexure compression device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:24
S16	0	array (cover or container) flexure compression device "435".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:24
S17	5	array (cover or container) flexure compression device "435"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:25
S18	0	array (cover or container) knob flexure compression "435"/287.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:25
S19	0	array lid knob flexure compression "435"/287.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:26
S20	0	array lid screw flexure compression "435"/287.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:26
S21	0	array lid screw clamp compression "435"/287.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:26
S22	0	array lid screw clamp "435"/287. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:26
S23	0	array cover screw clamp "435"/287. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:26

EAST Search History

S24	0	array cover "435"/287.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:26
S25	81	array cover "435"/287.9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:30
S26	0	"array asssay" cover "435"/287.9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:29
S27	1	array cover knob "435"/287.9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:34
S28	2	"5589135".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:34
S29	36	("0269874" "0303002" "0312938" "0367512" "0576547" "1310752" "1543631" "1721227" "3313166" "3546930" "3669440" "3730008" "3762232" "3842690" "3858452" "3974709" "4155268" "4155269" "4509936" "4522684" "4553951" "4625935" "4780178" "4850560" "5100284" "5152375").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/08 17:40
S30	2	("5589135").URPN.	USPAT	OR	OFF	2006/03/08 17:42
S31	44	array device opener substrate clamp\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:45
S32	92	array device knob lid substrate clamp\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 17:53

EAST Search History

S33	0	array device knob lid substrate clamp\$4 435/288.3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 18:01
S34	2	"6116045".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 18:58
S35	16	("2555788" "2610472" "2645332" "3255607" "3572054" "3998072" "4050264" "4286440" "4499998" "4551988" "4610286" "5924303").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/08 18:02
S36	55	("20010007642" "4039247" "4237234" "4315891" "4319841" "4676951" "4682891" "4731335" "4761378" "4770856" "4798706" "4834946" "4877659" "5061452" "5104808" "5120662" "5126276" "5143854" "5149505" "5182191" "5213505" "5436129" "5482861" "5508200" "5510270" "5538849" "5565173" "5567595" "5582801" "5585275" "5589330" "5591646" "5593642" "5593838" "5601141" "5609826" "5612002" "5650125" "5677195" "5679310" "5681484" "5688696" "5702672" "5723294" "5738825" "5780294" "5789251" "5801055" "5817510" "5858309" "6054100" "6106783" "6136273" "6258326" "RE30562").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/08 18:04
S37	0	clamp knob substrate cover assay device "649"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 18:59
S38	0	clamp knob substrate cover assay device178/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 18:59

EAST Search History

S39	0	clamp knob substrate cover assay device "604"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 18:59
S40	0	clamp knob substrate cover assay device "73"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 18:59
S41	0	clamp\$5 knob substrate cover assay device "429"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:00
S42	1	clamp\$5 substrate cover assay device "429"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:01
S43	0	clamp\$5 handle gasket base flexure cover assay device "429"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:02
S44	0	clamp\$5 handle gasket base flexure cover assay device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:02
S45	0	clamp\$5 handle gasket base flexure cover assay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:02
S46	53	clamp\$5 handle gasket base flex\$3 cover assay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:08
S47	23	clamp\$5 knob gasket base flex\$3 cover assay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:10
S48	0	"vacuum seal" microplate gasket knob	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:11

EAST Search History

S49	28	vacuum seal microplate gasket knob	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:21
S50	63	("3463322" "3721364" "4167875" "4246339" "4279342" "4304865" "4422151" "4734192" "4902481" "4927604" "4948442" "4948564" "4969306" "5002889" "5047215" "5108703" "5108704" "5110556" "5114681" "5116496" "5141719" "5201348" "5208161" "5227137" "5264184" "5282543" "5283039" "5326533" "5342581" "5352086" "5368729" "5380437" "5384024" "5401637" "5409832" "5427265" "5459300" "5464541" "5475610" "5506343" "5516490" "5582665" "5602756" "5604130" "5620663" "5650323" "5665247" "5679310" "5681492" "5710381" "5721136" "5736105" "5736106" "5741463" "5792425" "5792430" "5846493" "6159368" "6251343" "6338802" "6419827" "D297602").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/08 19:12
S51	13	("5409832").URPN.	USPAT	OR	OFF	2006/03/08 19:19
S52	4	("D438633").URPN.	USPAT	OR	OFF	2006/03/08 19:20
S53	12	("3809617" "4387990" "4564503" "4668472" "4704255" "4777021" "4806487" "4912034" "4965187" "5141719" "5147609").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/08 19:20
S54	73	vacuum seal test strip gasket knob	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:27
S55	10	("6272939").URPN.	USPAT	OR	OFF	2006/03/08 19:26
S56	7	("3080759" "3933165" "5210015" "5538848" "5780717" "5928907").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/08 19:26
S57	50	spring screw seal plate gasket knob "422"/\$.ccis.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:28

EAST Search History

S58	871	planar array assay "422"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:31
S59	556	planar array assay cover "422"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:31
S60	233	planar array assay cover spring "422"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:31
S61	0	planar array assay cover spring srew "422"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:32
S62	17	planar array assay cover spring knob "422"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 19:32
S63	66	("3311303" "3392914" "3483997" "3607098" "3799426" "3847200" "3856471" "3912913" "3983363" "4008048" "4094641" "4206872" "4244920" "4310488" "4312835" "4335620" "4348207" "4362699" "4401594" "4404845" "4474015" "4478094" "4483823" "4504733" "4517160" "4518700" "4534941" "4544436" "4554436" "4554839" "4598049" "4651813" "4663290" "4679615" "4683194" "4683195" "4683202" "4685081" "4693834" "4708886" "4711851" "4713219" "4755356" "4800159" "4858155" "4865986" "4868130" "4889818" "4933146" "4950608" "4953741" "4956298" "4965188" "4976780" "4981801" "4990129" "5008182" "5038852" "5056427" "5075216" "5167929" "5254314" "Re34133").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/08 19:36
S64	9	("3847200").URPN.	USPAT	OR	OFF	2006/03/08 19:41

EAST Search History

S65	2	"6272939".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 20:17
S66	17	fluidic array assay seal\$4 knob "422"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 20:24
S67	15	fluidic array assay cover substrate knob "422"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 20:25
S68	6	fluidic array assay cover substrate knob "436"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 20:25
S69	43	fluidic array assay cover substrate knob	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/08 20:25
S70	0	array bending compression force knob 422/61.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 10:07
S71	0	array bending compression force 422/61.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 10:08
S72	0	array flexure compression force 422/61.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 10:08
S73	15	array flexure compression force "422"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 10:12
S74	2	"6258593".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 10:12

EAST Search History

S75	10	shea-l-r.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 10:55
S76	2	"5100626".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 11:02
S77	2	"5958760".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 11:02
S78	6	("4829003" "5192503" "5281516" "5346672" "5364790" "5460945").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 15:05
S79	12	("5958760").URPN.	USPAT	OR	OFF	2006/03/09 17:09
S80	1	"5100626".pn.	USPAT	OR	OFF	2006/03/09 21:03
S81	1899908	flexure array cover base "435"/\$. ccls.	USPAT	OR	OFF	2006/03/09 17:14
S82	1866142	flexure array cover base "435"/286. 5.ccls.	USPAT	OR	OFF	2006/03/09 17:14
S83	1897019	flexure assay array cover base "435"/286.5.ccls.	USPAT	OR	OFF	2006/03/09 17:15
S84	0	flexure assay array cover base "435"/286.5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 17:15
S85	16	flexure assay cover base "435"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 17:18
S86	253	bending assay cover base "435"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 17:19
S87	2	bending device cover base 435/286. 5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 17:20

EAST Search History

S88	259	bending device cover base "435"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 17:20
S89	24	bending curvature device cover base "435"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 17:22
S90	20	bending curvature device cover base force "435"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2006/03/09 17:22
S91	53	("5100626").URPN.	USPAT	OR	OFF	2006/03/09 17:27